SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

(Adopted December 3, 1976)(Amended June 7, 1985)(Amended November 1, 1985)
(Amended October 3, 1986)(Amended April 3, 1987)(Amended May 5, 1989)
(Amended September 7, 1990)(Amended October 4, 1991)(Amended April 3, 1992)
(Amended April 9, 1993)(Amended April 8, 1994)(Amended January 9, 1998)
(Amended August 13, 1999)(Amended April 21, 2000)
(Amended May 11, 2001)(Amended April 5, 2002)(Amended May 7, 2004)
(Amended December 2, 2005)(Amended September 8, 2006)
(Amended April 6, 2007)(Amended April 4, 2008)(Amended April 3, 2009)

REGULATION IX

STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES

The provisions of Part 60, Chapter I, Title 40, of the Code of Federal Regulations (CFR), in effect July 1, 1984, applicable to the subparts listed in this Regulation were adopted by the South Coast Air Quality Management District on the date shown and were made part of the Rules and Regulations of the South Coast Air Quality Management District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the more stringent of the standards, criteria, and requirements set forth herein or in applicable District rules. For the purpose of this Regulation, the word "Administrator" as used in Part 60, Chapter I, Title 40, of the CFR shall mean the Executive Officer of the South Coast Air Quality Management District, except that the Executive Officer shall not be empowered to approve alternate test methods or alternate opacity limits. Other deviations from these federal standards, as presented in the CFR and which were ordered by the South Coast Air Quality Management District Board to suit the needs of the South Coast Air Quality Management District, are noted in the affected subpart.

SUBPART A GENERAL PROVISIONS

(40FR53346, Nov. 17, 1975)	(Adopted Dec. 3, 1976)
	(Amended Oct. 5, 1984)
(52FR17555, May 11, 1987)	(Amended May 5, 1989)
(55FR26912, June 29, 1990)	(Amended Oct. 4, 1991)
(55FR26931, June 29, 1990)	(Amended Oct. 4, 1991)
(55FR37674, Sept. 12, 1990)	(Amended Oct. 4, 1991)
(55FR40171, Oct. 2, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(57FR32314, July 21, 1992)	(Amended April 9, 1993)
(59FR12408, March 16, 1994)	(Amended August 13, 1999)
(60FR65387, Dec. 19, 1995)	(Amended August 13, 1999)
(62FR8314, Feb. 24, 1997)	(Amended August 13, 1999)
(62FR52384, Oct. 7, 1997)	(Amended August 13, 1999)
(63FR24436, May 4, 1998)	(Amended August 13, 1999)

(65FR48914, August 10, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(65FR76378, Dec. 6, 2000)	(Amended May 11, 2001)
(66FR44978, August 27, 2001)	(Amended April 5, 2002
(67FR43550, June 28, 2002)	(Amended May 7, 2004)
(69FR41346, July 8, 2004)	(Amended Dec. 2, 2005)
(70FR74870, Dec. 16, 2005)	(Amended April 6, 2007)
(71FR38482, July 6, 2006)	(Amended April 6, 2007)
(71FR39154, July 11, 2006)	(Amended April 6, 2007)
(72FR27437, May 16, 2007)	(Amended April 4, 2008)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)
(73FR3568, January 18, 2008)	(Amended April 3, 2009)
(73FR35838, June 24, 2008)	(Amended April 3, 2009)

SUBPART D

STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971

(39FR20792, June 14, 1974)	(Adopted Dec. 3, 1976)
(51FR42839, Nov. 26, 1986)	(Amended April 3, 1987)
(52FR28946, Aug. 4, 1987)	(Amended May 5, 1989)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)

SUBPART Da

STANDARDS OF PERFORMANCE FOR ELECTRIC UTILITY STEAM GENERATING UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPT. 18, 1978

(44FR33613, June 11, 1979) (51FR42839, Nov. 26, 1986) (55FR5211, Feb. 14, 1990) (63FR49442, Sept. 16, 1998) (65FR61743, October 17, 2000) (66FR18546, April 10, 2001) (66FR31177, June 11, 2001) (66FR42608, August 14, 2001) (70FR28606, May 18, 2005) (70FR51266, August 30, 2005)	(Adopted Oct. 5, 1984) (Amended April 3, 1987) (Amended Oct. 4, 1991) (Amended August 13, 1999) (Amended May 11, 2001) (Amended April 5, 2002) (Amended April 5, 2002) (Amended April 5, 2002) (September 8, 2006) (September 8, 2006)
(70FR51266, August 30, 2005)	(September 8, 2006)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(71FR33388, June 9, 2006)	(Amended April 6, 2007)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART Db STANDARDS OF PERFORMANCE FOR INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

(51FR42768, Nov. 25, 1986)	(Adopted April 3, 1987)
(51FR42839, Nov. 26, 1986)	
(52FR47826, Dec. 16, 1987)	(Amended May 5, 1989)
(54FR51820, Dec. 18, 1989)	(Amended, Sept. 7, 1990)
(63FR4992, Sept. 16, 1998)	(Amended August 13, 1999)
(65FR13242, March 13, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR18546, April 10, 2001)	(Amended April 5, 2002)
(66FR31177, June 11, 2001)	(Amended April 5, 2002)
(66FR42608, August 14, 2001)	(Amended April 5, 2002)
(66FR49830, October 1, 2001)	(Amended April 5, 2002)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(71FR33388, June 9, 2006)	(Amended April 6, 2007)
(72FR32710, June 13, 2007)	(Amended April 4, 2008)

SUBPART Dc

STANDARDS OF PERFORMANCE FOR SMALL INDUSTRIAL COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS

(55FR37674, Sept. 12, 1990)	(Adopted Oct. 4, 1991)
(61FR20734, May 8, 1996)	(Amended August 13, 1999)
(64FR24049, May 5, 1999)	(Amended April 21, 2000)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(70FR74679, Dec. 16, 2005)	(September 8, 2006)
(71FR9866, February 27, 2006)	(Amended April 6, 2007)
(72FR32710, June 13, 2007	(Amended April 4, 2008)

SUBPART E

STANDARDS OF PERFORMANCE FOR INCINERATORS

(36FR24877, Dec. 23, 1971)	(Adopted Dec. 3, 1976)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(71FR27324, May 10, 2006)	(Amended April 6, 2007)

SUBPART Ea

STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS

(56FR5488, Feb. 11, 1991)	(Adopted April 3, 1992)
(60FR65381, Dec. 19, 1995)	(Adopted Dec. 12, 1997)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)

SUBPART Eb STANDARDS OF PERFORMANCE AND EMISSION GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS

(60FR65387, Dec. 19, 1995)	(Adopted Dec. 12, 1997)
(62FR45116, Aug. 25, 1997)	(Amended Dec. 12, 1997)
(62FR45124, Aug. 25, 1997)	(Amended Dec. 12, 1997)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(66FR36473, July 12, 2001)	(Amended April 5, 2002)
(66FR57824, Nov. 16, 2001)	(Amended April 5, 2002)
(71FR27324, May 10, 2006)	(Amended April 6, 2007)

SUBPART Ec

STANDARDS OF PERFORMANCE FOR HOSPITAL/ MEDICAL INFECTIOUS WASTE INCINERATORS

(62FR48348, Sept. 15, 1997)	(Adopted Dec. 12, 1997)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)
(68FR61759, Oct. 30, 2003)	(Amended May 7, 2004)

SUBPART F

STANDARDS OF PERFORMANCE FOR PORTLAND CEMENT PLANTS

(36FR24877, Dec. 23, 1971)	(Adopted Dec. 3, 1976)
(53FR50354 Dec. 14, 1988)	(Amended May 5, 1989)
(61FR14637, April 3, 1996)	(Amended August 13, 1999)
(65FR61743, Oct. 17, 2000)	(Amended May 11, 2001)

SUBPART G

STANDARDS OF PERFORMANCE FOR NITRIC ACID PLANTS

(39FR20794, June 14, 1974) (Adopted Dec. 3, 1976)

SUBPART H

STANDARDS OF PERFORMANCE FOR SULFURIC ACID

PLANTS

(39FR20794, June 14, 1974) (Adopted Dec. 3, 1976) (65FR61743, Oct. 17, 2000) (Amended May 11, 2001)

SUBPART I

STANDARDS OF PERFORMANCE FOR ASPHALTIC CONCRETE PLANTS

(39FR9314, March 8, 1974) (Adopted Dec. 3, 1976) (51FR12324, April 10, 1986) (Amended April 3, 1987)

SUBPART J STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES

(Adopted Dec. 3, 1976)
(Amended Feb. 13, 1981)
(Amended April 3, 1987)
(Amended Sept. 7, 1990)
(Amended Oct. 4, 1991)
(Amended May 11, 2001)
(Amended April 3, 2009)

SUBPART Ja

STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER May 14, 2007

(73FR35838, June 24, 2008)	(Adopted April 3, 2009)
(73FR55751, Sept. 26, 2008)	(Amended April 3, 2009)
(73FR78546, Dec. 22, 2008)	(Amended April 3, 2009)
(73FR78549, Dec. 22, 2008)	(Amended April 3, 2009)

SUBPART K

STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS CONSTRUCTED AFTER JUNE 11, 1973, AND PRIOR TO MAY 19, 1978

(39FR9317, March 8, 1974)	(Adopted Dec. 3, 1976) (Amended Feb. 13, 1981)
(52FR11420, April 8, 1987)	(12000000000000000000000000000000000000
(52FR22779, June 16, 1987)	(Amended May 5, 1989)

SUBPART Ka

STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS CONSTRUCTED AFTER MAY 18, 1978

(45FR23379, Apr. 4, 1980)	(Adopted Dec. 3, 1976) (Amended Feb. 13, 1981)
(52FR11420, April 18, 1987) and	, ,
(52FR22779, June 16, 1987)	(Amended May 5, 1989)
(65FR2336, January 14, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART Kb STANDARDS OF PERFORMANCE FOR STORAGE

VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR

MODIFICATION COMMENCED AFTER JULY 23, 1983

(52FR11420, April 8, 1987) and (52FR22779, June 16, 1987) (Adopted May 5, 1989) (54FR32972, August 11, 1989) (Amended Sept. 7, 1990) (65FR2336, January 14, 2000) (Amended May 11, 2001) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART L STANDARDS OF PERFORMANCE FOR SECONDARY LEAD SMELTERS

(39FR9317, March 8, 1974) (Adopted Dec. 3, 1976) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART M STANDARDS OF PERFORMANCE FOR SECONDARY BRASS AND BRONZE PRODUCTION PLANTS

(39FR9318, March 8, 1974) (Adopted Dec. 3, 1976) (49FR21864, Mar. 23, 1984) (Amended Oct. 5, 1984) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART N STANDARDS OF PERFORMANCE FOR IRON AND STEEL PLANTS

 (39FR9318, March 8, 1974)
 (Adopted Dec. 3, 1976)

 (51FR150, Jan. 2, 1986)
 (Amended June 5, 1981)

 (65FR61743, October 17, 2000)
 (Amended May 11, 2001)

SUBPART Na STANDARDS OF PERFORMANCE FOR BASIC OXYGEN PROCESS FURNACES

(51FR150, Jan. 2, 1986) (Adopted April 3, 1987) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART O STANDARDS OF PERFORMANCE FOR SEWAGE TREATMENT PLANTS

 (39FR9319, March 8, 1974)
 (Adopted Dec. 3, 1976)

 (51FR13432, April 18, 1986)
 (Amended Oct. 3, 1986)

 (54FR27015, June 27, 1989)
 (Amended Sept. 7, 1990)

 (59FR5107, February 3, 1994)
 (Amended Dec. 12, 1997)

 (65FR61743, October 17, 2000)
 (Amended May 11, 2001)

SUBPART P STANDARDS OF PERFORMANCE FOR PRIMARY

COPPER SMELTERS

(41FR2338, Jan. 15, 1976) (Adopted Nov. 1, 1985) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART Q STANDARDS OF PERFORMANCE FOR PRIMARY ZINC

SMELTERS

(41FR2340, Jan. 15, 1976) (Adopted Nov. 1, 1985)

SUBPART R STANDARDS OF PERFORMANCE FOR PRIMARY LEAD

SMELTERS

(41FR2340, Jan. 15, 1976) (Adopted Nov. 1, 1985)

SUBPART S STANDARDS OF PERFORMANCE FOR PRIMARY

ALUMINUM REDUCTION PLANTS

(45FR44207, June 30, 1980) (Adopted Nov. 1, 1985) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART T STANDARDS OF PERFORMANCE FOR THE

PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS

PHOSPHORIC ACID PLANTS

(40FR33154, August 6, 1975) (Adopted Dec. 3, 1976)

(Amended August 5,

1983)

(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART U STANDARDS OF PERFORMANCE FOR THE

PHOSPHATE FERTILIZER INDUSTRY: SUPERPHOSPHORIC ACID PLANTS

(40FR33155, August 6, 1975) (Adopted Dec. 3, 1976)

(Amended Aug. 5, 1983)

(65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART V STANDARDS OF PERFORMANCE FOR THE

PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM

PHOSPHATE PLANTS

(40FR33155, August 6, 1975) (Adopted Dec. 3, 1976)

(Amended Aug. 5, 1983)

(65FR61743, October 17, 2000) (Amended May 11, 2001)

STANDARDS OF PERFORMANCE FOR THE **SUBPART W**

PHOSPHATE FERTILIZER INDUSTRY: TRIPLE

SUPERPHOSPHATE PLANTS

(40FR33156, August 6, 1975) (Adopted Dec. 3, 1976) (Amended Aug. 5, 1983) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART X STANDARDS OF PERFORMANCE FOR THE

PHOSPHATE FERTILIZER INDUSTRY: GRANULAR TRIPLE SUPERPHOSPHATE STORAGE FACILITIES

(40FR33156, August 6, 1975) (Adopted Dec. 3, 1976) (Amended August 5, 1983) (Amended August 13, 1999) (62FR18277, April 15, 1997) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART Y STANDARDS OF PERFORMANCE FOR COAL PREPARATION PLANTS

(41FR2234, Jan. 15, 1976) (Adopted Dec. 3, 1976) (Amended Aug. 13, 1999) (63FR53288, Oct. 5, 1998) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART Z STANDARDS OF PERFORMANCE FOR FERRO-ALLOY PRODUCTION FACILITIES

(41FR18501, May 4, 1976) (Adopted Nov. 1, 1985) (55FR5211, Feb. 14, 1990) (Amended Oct. 4, 1991) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART AA STANDARDS OF PERFORMANCE FOR STEEL

PLANTS: ELECTRIC ARC FURNACES CONSTRUCTED AFTER OCT. 21, 1974, AND ON OR BEFORE AUG. 17, 1983

(Adopted Dec. 3, 1976) (40FR43852, Sept. 23, 1975) (40FR43838, Oct. 31, 1984) (Amended June 7, 1985) (64FR10105, March 2, 1999) (Amended April 21, 2000) (65FR61743, October 17, 2000) (Amended May 11, 2001) (70FR8523, February 22, 2005) (September 8, 2006)

SUBPART AAa

STANDARDS OF PERFORMANCE FOR STEEL PLANTS: ELECTRIC ARC FURNACES AND ARGON-OXYGEN DECARBURIZATION VESSELS CONSTRUCTED AFTER AUGUST 17, 1983

(49FR43838, Oct. 3, 1984)	(Adopted June 7, 1985)
(64FR10105, March 2, 1999)	(Amended April 21, 2000)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(70FR8523, February 22, 2005)	(September 8, 2006)

SUBPART BB

STANDARDS OF PERFORMANCE FOR KRAFT PULP MILLS

(43FR7572, Feb. 23, 1978)	(Adopted Nov. 1, 1985)
(51FR18538, May 20, 1986)	(Amended Oct. 3, 1986)
(55FR5211, Feb. 14, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART CC

STANDARDS OF PERFORMANCE FOR GLASS MANUFACTURING PLANTS

(45FR66751, Oct. 7, 1980)	(Adopted June 7, 1985)
(49FR41030, Oct. 19, 1984)	, ,
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART DD

STANDARDS OF PERFORMANCE FOR GRAIN ELEVATORS

(43FR34347, Aug. 3, 1978)	(Adopted March 6, 1981)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART EE

STANDARDS OF PERFORMANCE FOR SURFACE COATING OF METAL FURNITURE

(47FR49287, Oct. 29, 1982)	(Adopted Oct. 5, 1984)
(49FR40542, Oct. 16, 1984)	(Amended Nov. 1, 1985)
(55FR51378, Dec.13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART GG STANDARDS OF PERFORMANCE FOR STATIONARY GAS TURBINES

(44FR52798, Sept. 10, 1979)	(Adopted March 6, 1981)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(69FR41346, July 8, 2004)	(Amended Dec. 2, 2005)
(71FR9453, February 24, 2006)	(Amended April 6, 2007)

SUBPART HH STANDARDS OF PERFORMANCE FOR LIME

MANUFACTURING PLANTS

(43FR9453, March 7, 1978)	(Adopted April 3, 1981)
(49FR18076, Apr. 26, 1984)	(Amended Oct. 5, 1984)
(52FR4773, Feb. 17, 1987)	(Amended May 5, 1989)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART KK STANDARDS OF PERFORMANCE FOR LEAD-ACID BATTERY MANUFACTURING PLANTS

(47FR16573, Apr. 16, 1982)	(Adopted August 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART LL STANDARDS OF PERFORMANCE FOR METALLIC MINERAL PROCESSING PLANTS

(49FR6464, Feb. 21, 1984)	(Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART MM

STANDARDS OF PERFORMANCE FOR AUTOMOBILE AND LIGHT-DUTY TRUCK SURFACE COATING OPERATIONS

(45FR85415, Dec. 24, 1980)	(Adopted Oct. 5, 1984)
(55FR51378, Dec. 13, 1990)	(Amended Oct. 4, 1991)
(59FR51383, Oct. 11, 1994)	(Amended Aug. 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART NN STANDARDS OF PERFORMANCE FOR PHOSPHATE ROCK PLANTS

(47FR16589, April 16, 1982)	(Adopted Nov. 1, 1985)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART PP STANDARDS OF PERFORMANCE FOR AMMONIUM SULFATE MANUFACTURE

(45FR74850, Nov. 12, 1980) (Adopted Feb. 13, 1981) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART QQ STANDARDS OF PERFORMANCE FOR THE GRAPHIC ARTS INDUSTRY: PUBLICATION ROTOGRAVURE PRINTING

(47FR50649, Nov. 8, 1982) (Adopted July 6, 1984) (65FR61743, October 17, 2000) (Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART RR STANDARDS OF PERFORMANCE FOR PRESSURE SENSITIVE TAPE AND LABEL SURFACE COATING OPERATIONS

(48FR48368, Oct. 18, 1983) (Adopted May 4, 1984) (55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991) (65FR61743, October 17, 2000) (Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAOMD.

SUBPART SS STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING: LARGE APPLIANCES

(47FR47785, Oct. 27, 1982) (Adopted Oct. 5, 1984) (55FR51378, Dec 13, 1990) (Amended Oct. 4, 1991) (65FR61743, October 17, 2000) (Amended May 11, 2001)

<u>Note:</u> The 30-day emission averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART TT STANDARDS OF PERFORMANCE FOR METAL COIL SURFACE COATING

(47FR49612, Nov. 1, 1982)	(Adopted Oct. 5, 1984)
(51FR22938, June 24, 1986)	(Amended Oct. 3, 1986)
(55FR51378, Dec 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAOMD.

SUBPART UU

STANDARDS OF PERFORMANCE FOR ASPHALT PROCESSING AND ASPHALT ROOFING MANUFACTURE

(45FR34143, Aug. 6, 1982)	(Adopted Aug. 5, 1983)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART VV

STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY

(48FR48355, Oct. 18, 1983)	(Adopted Oct. 5, 1984)
(51FR2699, Jan. 21, 1986)	(Amended April 3, 1987)
(61FR29875, June 12, 1996)	(Amended Aug. 13, 1999)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)
(72FR64860, Nov. 16, 2007)	(Amended April 4, 2008)
(73FR31372, June 2, 2008)	(Amended April 3, 2009)
(73FR31376, June 2, 2008)	(Amended April 3, 2009)

SUBPART VVa

STANDARDS OF PEFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER NOVEMBER 7, 2006

72FR64860, Nov. 16, 2007	(Adopted April 4, 2008)
(73FR31372, June 2, 2008)	(Amended April 3, 2009)
(73FR31376, June 2, 2008)	(Amended April 3, 2009)

SUBPART WW

STANDARDS OF PERFORMANCE FOR THE BEVERAGE CAN SURFACE COATING INDUSTRY

(48FR38737, Aug. 25, 1983)	(Adopted Oct. 5, 1984)
(55FR51378, Dec 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD.

SUBPART STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS

(52FR5860, Feb. 26, 1988) and (53FR12009, April 12, 1988) (Adopted May 5, 1989) (63FR64869, Nov. 24, 1998) (Amended Aug. 13, 1999) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART BBB

STANDARDS OF PERFORMANCE FOR THE RUBBER TIRE MANUFACTURING INDUSTRY

(52FR34868, Sept. 15, 1987) and (52FR37874, Oct. 9, 1987) (Adopted May 5, 1989) (54FR38634, Sept. 19, 1989) (Amended Sept. 7, 1990) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART DDD

STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE POLYMER MANUFACTURING INDUSTRY

(55FR51010, Dec. 11, 1990) (Adopted Oct. 4, 1991) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART FFF

STANDARDS OF PERFORMANCE FOR FLEXIBLE VINYL AND URETHANE COATING AND PRINTING

(49FR26892, June 29, 1984) (Adopted June 7, 1985)

<u>Note:</u> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emissions averaging periods for affected facilities in the SCAQMD

.

SUBPART GGG

STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN PETROLEUM REFINERIES FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JANUARY 4, 1983, AND ON OR BEFORE NOVEMBER 7, 2006

 (49FR22606, May 30, 1984)
 (Adopted June 7, 1985)

 (65FR61743, October 17, 2000)
 (Amended May 11, 2001)

 (72FR64860, Nov. 16, 2007)
 (Amended April 4, 2008)

 (73FR31372, June 2, 2008)
 (Amended April 3, 2009)

 (73FR31376, June 2, 2008)
 (Amended April 3, 2009)

SUBPART GGGa STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN PETROLEUM REFINERIES FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER NOVEMBER 7, 2006

(72FR64896, Nov. 16, 2007) (Adopted April 3, 2009) 73FR31372, June 2, 2008 (Amended April 3, 2009) 73FR31376, June 2, 2008 (Amended April 3, 2009)

SUBPART HHH

STANDARDS OF PERFORMANCE FOR SYNTHETIC FIBER PRODUCTION FACILITIES

(49FR13651, April 5, 1984)	(Adopted Nov. 1, 1985)
(55FR51378, Dec 13, 1990)	(Amended Oct. 4, 1991)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART III

STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM THE SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY (SOCMI) AIR OXIDATION UNIT PROCESSES

(55FR26912, June 29, 1990) (Amended Oct. 4, 1991) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART JJJ

STANDARDS OF PERFORMANCE FOR PETROLEUM DRY CLEANERS

(49FR37332, Sept. 21, 1984) (Adopted June 7, 1985) (50FR49026, Nov. 27, 1985) (Amended Oct. 3, 1986) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART KKK

STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC FROM ONSHORE NATURAL GAS PROCESSING PLANTS

(50FR26122, June 24, 1985) (Adopted Nov. 1, 1985) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART LLL

STANDARDS OF PERFORMANCE FOR ONSHORE NATURAL GAS PROCESSING: SO₂ EMISSIONS

(50FR40518, Oct. 1, 1985) (Adopted Oct. 3, 1986) (65FR61743, October 17, 2000) (Amended May 11, 2001) SUBPART NNN STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND (VOC) EMISSIONS FROM

SYNTHETIC ORGANIC CHEMICAL MANUFACTURING

INDUSTRY (SOCMI) AIR OXIDATION UNIT

PROCESSES

(55FR26931, June 29, 1990) (Adopted Oct. 4, 1991) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART OOO STANDARDS OF PERFORMANCE FOR NONMETALLIC MINERAL PROCESSING PLANTS

(50FR31328, Aug. 1, 1985) (62FR31351, June 9, 1997) (62FR62953, Nov. 26, 1997) (65FR61743, October 17, 2000) (Adopted Nov. 1, 1985) (Amended Dec. 12, 1997) (Amended August 13, 1999) (Amended May 11, 2001)

SUBPART PPP

STANDARDS OF PERFORMANCE FOR WOOL FIBERGLASS INSULATION MANUFACTURING

PLANTS

(50FR7694, Feb. 25, 1985) (Adopted Nov. 1, 1985) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART QQQ STANDARDS OF PERFORMANCE FOR VOC EMISSIONS FROM PETROLEUM REFINERY

WASTEWATER SYSTEMS

(53FR47616, Nov. 23, 1988) (Adopted May 5, 1989) (60FR43244, Aug. 18, 1995) (Amended August 13, 1999) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART RRR STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMOPOUND (VOC) EMISSIONS FROM THE SYNTHETIC ORGANIC CHEMICAL

MANUFACTURING INDUSTRY (SOCMI) REACTOR

PROCESSES

(58FR45948, Aug. 31, 1993) (Adopted April 8, 1994) (65FR61743, October 17, 2000) (Amended May 11, 2001)

SUBPART SSS

STANDARDS OF PERFORMANCE FOR THE MAGNETIC TAPE MANUFACTURING INDUSTRY

(53FR38892, Oct. 3, 1988) and (53FR47955, Nov. 29, 1988) (A

(Adopted May 5, 1989)

SUBPART
TTT

STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING PLASTIC PARTS FOR BUSINESS

MACHINES

(53FR2672, Jan. 29, 1988) and	
(53FR19300, May 27, 1988)	(Adopted May 5, 1989)
(54FR25458, June 15, 1989)	(Amended Sept. 7, 1990)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART UUU

STANDARDS OF PERFORMANCE FOR CALCINERS AND DRYERS IN MINERAL INDUSTRIES

(57FR44496, Sept. 28, 1992)	(Adopted April 9, 1993)
(58FR40591, July 29, 1993)	(Amended April 8, 1994)

SUBPART VVV

STANDARDS OF PERFORMANCE FOR POLYMERIC COATING OF SUPPORTING SUBSTRATES

(54FR37534, Sept. 11, 1989)	(Adopted Sept. 7, 1990)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART WWW

STANDARDS OF PERFORMANCE FOR MUNICIPAL SOLID WASTE LANDFILLS

(61FR9905, March 12, 1996)	(Adopted Dec. 12, 1997)
(63FR32743, June 16, 1998)	(Amended Aug. 13, 1999)
(64FR9258, February 24, 1999)	(Amended April 21, 2000)
(65FR18906, April 10, 2000)	(Amended May 11, 2001)
(65FR61743, October 17, 2000)	(Amended May 11, 2001)

SUBPART AAAA

STANDARDS OF PERFORMANCE FOR NEW SMALL MUNICIPAL WASTE COMBUSTION UNITS

(65FR76350, December 6, 2000) (Amended May 11, 2001)

SUBPART CCCC

STANDARDS OF PERFORMANCE FOR COMMERCIAL AND INDUSTRIAL SOLID WASTE INCINERATION UNITS

(65FR75338, December 1, 2000)	(Amended May 11, 2001)
(66FR16605, March 27, 2001)	(Amended April 5, 2002)
(70FR55568, Sept. 22, 2005)	(September 8, 2006)

SUBPART EEEE

STANDARDS OF PERFORMANCE FOR OTHER SOLID WASTE INCINERATION UNITS

(70FR74870, December 16, 2005)	(Amended April 6, 2007)
(71FR67802, Nov. 24, 2006)	(Amended April 6, 2007)

STANDARDS OF PERFORMANCE FOR STATIONARY **SUBPART IIII**

COMPRESSION IGNITION INTERNAL

COMBUSTION ENGINES

71FR39154, July, 11, 2006 (Amended April 6, 2007)

STANDARDS OF PERFORMANCE FOR STAIONARY **SUBPART** JJJJ

SPARK IGNITION INTERNAL COMBUSTION ENGINES

(73FR3568, January 18, 2008) (Amended April 3, 2009)

SUBPART STANDARDS OF PERFORMANCE FOR STATIONARY

KKKK COMBUSTION TURBINES

> 71FR38482, July 6, 2006 (Amended April 6, 2007)